


**PLAN VIEW**  
NTS


IF THIS AREA IS LESS THAN 2'-0" WIDE THEN AREA MUST BE CONCRETE.

BACK OF CURB



**NOTES:**

1. PAD MUST BE SET BACK MIN 5'-0" FROM ANY CITY UTILITY.
  2. FOLLOW STANDARDS SET FORTH IN STANDARD DETAIL 303 FOR SIDEWALKS.
  3. NO PERMANENT OBJECTS OTHER THAN A BICYCLE RACK MAY BE INSTALLED ON PAD.
- \* DENOTES CENTER OF RACK




SIDEWALK CLEAR ZONE

2'-0" MIN SET BACK

4'-0" MIN\*  
4'-0" MIN\*

1'-6" MIN SET BACK

8'-0" MIN X 4'-0" MIN  
CONCRETE PAD.  
SEE NOTES 1, 2 AND 3.



PLANTER STRIP/  
FURNITURE ZONE

CITY OF REDMOND, WASHINGTON

APPROVED BY: RON GRANT  
CITY ENGINEER

REVISION DATE: MARCH 01, 2011



STANDARD DETAILS

**ON STREET BICYCLE PARKING**

FILE NAME: SD318.DWG

DETAIL NUMBER: **318**