

CONTRACT ADDENDUM NO. 2

CITY OF REDMOND

OVERLAKE VILLAGE SOUTH DETENTION VAULT

Project No. 20020806

Date of Issue: February 07, 2014


Date of Opening: February 13, 2014

Notice To All Planholders:

This Addendum No. 2, containing the following revisions is hereby made a part of the Plans and Contract Provisions (Contract Documents) for the above named project. It shall be attached to the Contract Provisions and shall be taken into consideration by the Bidders in submitting their bids.

Bidders shall acknowledge receipt of the Addendum No. 2 in the space provided on the Bid Proposal Signature Page. Failure to do so may subject the Bidder to disqualification of its bid.

ALL OTHER REQUIREMENTS OF THE CONTRACT DOCUMENTS REMAIN IN EFFECT.



David M. Paul, P.E.
City Engineer
City of Redmond Public Works

Date: 2-7-14

CONTRACT ADDENDUM NO. 2

You are hereby notified of the following revisions:

BID SCHEDULE

The bid schedule forms are replaced with the new Bid Schedule Forms attached at the back of this Addendum.

Changes made to the Bid Schedule are as follows:

- Revised estimated quantity for bid item no. 19 Gravel Borrow Incl. Haul
- Revised estimated quantity for bid item no. 23 Structure Excavation Class A Incl. Haul
- Revised estimated quantity for bid item no. 24 Structure Excavation Class B Incl. Haul
- Revised estimated quantity for bid item no. 26 Controlled Density Fill
- Revised spelling of unit for bid items no. 27 and no. 28
- Revised estimated quantity for bid item no. 34 Pre-Fabricated Drainage Mat for Vault Wall
- Revised estimated quantity for bid item no. 50 Catch Basin Type 1
- Revised estimated quantity for bid item no. 56 Connection to Drainage Structure
- Revised estimated quantity for bid item no. 61 Plugging Existing Pipe
- Revised estimated quantity for bid item no. 65 ESC Lead
- Revised estimated quantity for bid item no. 91 Temporary Security (Chain Link) Fence

SPECIAL PROVISIONS

Section 1-07.18(5)E of the Special Provisions in the current bid set is modified as follows:

Contractor shall purchase and maintain Builders Risk insurance covering interests of the Contracting Agency, the Contractor, Subcontractors, and Sub-subcontractors in the work. Builders Risk insurance shall be on a all-risk policy form and shall insure against the perils of fire and extended coverage and physical loss or damage including flood, earthquake, theft, vandalism, malicious mischief and collapse. The Builders Risk insurance shall include coverage for temporary buildings, debris removal, and damage to materials in transit or stored off-site. Such insurance shall cover any "soft costs" ~~including but not limited to design costs, licensing fees, and architect's and engineer's fees of the Contractor, if any.~~ Builders Risk insurance shall be written in the amount of ~~7~~ \$7 million, with no coinsurance provisions.

The Builders Risk insurance covering the work shall have a deductible of \$50,000 for each occurrence, which will be the responsibility of the Contractor. ~~Higher Deductibles~~ for flood, earthquake and all other perils may be accepted by the Contracting Agency ~~shall not exceed \$700,000 per occurrence. upon written request by the Contractor and written acceptance by the Contracting Agency.~~ Any increased deductibles accepted by the Contracting Agency will remain the responsibility of the Contractor.

The Builders Risk insurance shall be maintained until final acceptance of the work by the Contracting Agency.

CONTRACT ADDENDUM NO. 2

The Contractor and the Contracting Agency waive all rights against each other any of their Subcontractors, Sub-subcontractors, agents and employees, each of the other, for damages caused by fire or other perils to the extent covered by Builders Risk insurance or other property insurance applicable to the work. The policies shall provide such waivers by endorsement or otherwise.

*The fourth paragraph titled “**Stage 1 Exceptions**” of Section 1-08.0(2) of the Special Provisions in the current bid set is supplemented with the following:*

The Contracting Agency will be responsible for construction inspection costs for these hours in the case of any extended hours, night, and/or double shifts, if the proper notifications are given.

*The first bullet list item under “**Stage 2**” of Section 1-08.4 of the Special Provisions in the current bid set is modified as follows:*

- Contractor must maintain site security in the Construction Work Zone at all times, and must maintain all erosion and sediment control and traffic control measures.

The third and and sixth bullet list items within the second paragraph of Section 2-02.1 of the Special Provisions of the current bid set are modified as follows:

- Cement Concrete Sidewalk and Asphalt and Cement Concrete Pavement outside of the Vault Structure Excavation Class A area (approx. ~~42,400~~ 5,100 SY)
- Monitoring Wells removal (approx. ~~9~~ 10) – see Section 2-02.3(5) for decommissioning prior to removal.

The first two bid item names within Section 2-09.5 of the Special Provisions of the current bid set are modified as follows to match the bid schedule form:

Structure e Excavation Class A Incl. Haul	Cubic Yard
Structure e Excavation Class B Incl. Haul	Cubic Yard

The last paragraph of Section 2-09.5 of the Special Provision of the current bid set is modified as follows:

The unit bid price for “Shoring or Extra Excavation Class B” shall be full pay for all labor, materials, equipment, and other incidental costs necessary to satisfactorily complete the work, including but not limited to shoring the trench from lateral movement of soils;

CONTRACT ADDENDUM NO. 2

~~cutting, removal and disposal of temporary shoring wall elements as needed,~~ and ensuring worker safety as defined in the Specifications and as shown on the Plans.

Section 2-09.5 of the Special Provision of the current bid set is supplemented with the following:

The unit bid price for "Structure Excavation Class B Incl. Haul" shall be full pay for all labor, materials, equipment, and other incidental costs necessary to satisfactorily complete the work, including but not limited to cutting, removal and disposal of temporary shoring wall elements as needed.

Section 6-10.5 of the Special Provision of the current bid set is supplemented with the following:

The second to last sentence of this section is revised to read:

The unit Contract price per linear foot for "Temporary Barrier with Screen Fence" shall be full pay for all labor, materials, equipment, and other incidental costs necessary to satisfactorily complete the work, including furnishing, installing, connecting, anchoring, maintaining, resetting, temporary storage, and final removal of the temporary barrier with screen fence.

Section 6-15.2 of the Special Provisions in the current bid set is supplemented with the following:

2" diameter Weep Pipe for Temporary Shoring Wall shall be Schedule 40 Polyvinyl Chloride pipe (PVC).

The third sentence of Section 6-15.4 of the Special Provisions in the current bid set is modified as follows:

For surcharge pressures up to ~~1,000~~1,500 psf (e.g. concrete pump truck outriggers), the horizontal nail spacing should be reduced to 4 feet on center as shown on Detail C, Sheet SH4.0.

The bullet list of approximate quantities in Section 7-01.1 of the Special Provisions of the current bid set is modified as follows:

Underdrain System shall include, but not be limited to:

- Perforated Drain Pipe 6 In. Diam. (approx. 4,200 LF)
- Solid Wall Drain Pipe 8 In. Diam. (approx. 1,300 LF)
- Solid Wall Drain Pipe 12 In. Diam. (approx. ~~160~~30LF)
- Solid Wall Drain Pipe 6 In. Diam.(approx. ~~350~~380LF)

CONTRACT ADDENDUM NO. 2

- Construction Geotextile (approx. ~~7,300~~ 7,800SY)
- Coarse Aggregate AASHTO No. 57 (approx. ~~3,810~~ 3,000CY)
- Ductile Iron Pipe for Cleanouts (approx. 60 LF)
- Cleanout Riser Pipe Supports
- Miscellaneous couplings, fittings, mounting hardware and appurtenances
- Connection of Collector Pipe and Gravity Drain Pipe to Storm Sewer Manhole

Section 7-01.2 of the Special Provisions of the current bid set is supplemented with the following:

All Polyvinyl Chloride (PVC) pipe for the underdrain system shall be heavy wall SDR-35 and shall also meet the requirements of Standard Specification Section 9-05.1(5) and 9-05.2(6).

Section 7-04.3(1)B of the Special Provisions in the current bid set is supplemented with the following:

This section is deleted.

Section 7-04.3(1)C of the Special Provisions in the current bid set is supplemented with the following:

This section is deleted.

The fourth paragraph of Section 7-05.5 of the Special Provisions in the current bid set is revised to read:

The unit contract price for "Connection to Drainage Structure" shall be full pay for connection to existing drainage structure ~~or existing drainage pipe~~ with pipe greater than 24 inches in diameter, including but not limited to: coring existing catch basin, furnishing and installing boot for manhole connections, cutting the existing pipe, repairs needed to restore the pipe to use, and sealing new connections.

The following bullet list item is deleted from paragraph three of Section 7-20.1 of the Special Provisions of the current bid set.

- ~~Bypass Pipe (2 EA)~~

The following item is deleted from Section 7-20.2 of the Special Provisions of the current bid set.

CONTRACT ADDENDUM NO. 2

~~High-Density Polyethylene Storm Sewer Pipe with fused joints — 9-05.23~~

The following bullet list item under “Flow Restrictor” in Section 7-20.2 of the Special Provisions of the current bid set is revised to read:

Flow Restrictor

- Constant discharge rate of ~~4.0~~ 0.73 cubic feet per second per each unit at buoyant discharge condition

The last sentence of Section 7-20.5 of the Special Provisions of the current bid set is revised to read:

The unit contract price for “Vault Drainage” shall be full pay for all labor, material, tools, equipment, accessories and all incidentals necessary to satisfactorily complete the vault drainage work including but not limited to rising stem fittings and gear boxes, miscellaneous mounting hardware, anchor bolts, grout, ~~and~~ waterstop, and connections of storm sewer pipe to the vault structure.

The following item is added to the bullet list in paragraph two of Section 8-22.1 of the Special Provisions of the current bid set:

- Temporary markings as shown on the Site Logistics Plans

Section 8-22.3(3) of the Special Provisions is deleted in its entirety.

Section 8-22.5 of the Special Provisions is modified as follows:

Payment will be made for the following bid item(s) in accordance with the Standard Specifications and Special Provisions:

Parking Lot Striping	Lump Sum
----------------------	----------

Removal of existing raised pavement marking, paint, and thermoplastic markings and furnishing and installation of all temporary pavement markings shall be considered incidental to the contract lump sum item listed above.

CONTRACT ADDENDUM NO. 2

The first sentence of Section 8-23.5 of the Special Provisions in the current bid set is modified as follows:

The cost for furnishing, installing, maintaining and removing temporary pavement markings and striping shall be considered incidental to the ~~contract~~ lump sum item "Parking Lot Striping".

The first paragraph of Section 8-27.3 of the Special Provisions in the current bid set is modified as follows:

Contractor shall provide temporary measures by gravity drain or pumping to intercept flow from the existing Sears roof drain pipe and convey it around the vault excavation and into the existing storm sewer system. Temporary roof ~~drain~~ drain bypass system shall be removed and disposed of after roof drain pipe has been connected to the new permanent storm sewer system as shown on the Plans. ~~Pip~~

Section 10-03311-3.4.B of the Special Provisions in the current bid set is modified as follows:

B. Construction Joints - Spacing:

~~1. General Structures not intended to contain liquid:~~

~~a. Wall vertical construction joints:~~

~~1) 30 FT maximum centers.~~

~~2) At wall intersections, 15 FT maximum from corner.~~

~~b. Wall horizontal construction joints: 20 to 25 FT centers.~~

~~c. Base slab, floor, and roof slab construction joints:~~

~~1) Placements to be approximately square and not to exceed 1600 SF.~~

~~2) Maximum side dimension of a slab pour to be less than:~~

~~a) Twice the length of the short side.~~

CONTRACT ADDENDUM NO. 2

~~b) 40 FT.~~

~~3) No re-entrant corners will be allowed in any concrete slab pour unless approved by the engineer. All pours shall be square or rectangular.~~

~~21. Structures intended to contain liquids:~~

a. Wall vertical construction joints:

- 1) 24 FT maximum centers.
- 2) At wall intersections, 2 FT minimum and 12 FT maximum from corners.

b. Wall horizontal construction joints: 12 to 18 FT centers.

c. Walls that are thicker than 18 IN may be poured less than 30 FT tall in one (1) pour provided the following requirements are satisfied:

- 1) A test wall of similar size, height and thickness will be poured to demonstrate the quality of the concrete work.
- 2) The test wall will be located as a portion of a non-water bearing wall:
 - a) The test wall will include a waterstop at the bottom of the wall.
 - b) Alternatively, a separate test wall, not part of the final work, may be constructed.
- 3) The concrete placement and concrete quality of the test wall will be observed by the Engineer:
 - a) Concrete will be judged on the following:
 - (1) Ability to keep bottom of the pour clean and free from trash and debris.
 - (2) Ability to protect the waterstop from folding over due to the force of falling concrete.

CONTRACT ADDENDUM NO. 2

- (3) Ability to properly consolidate all concrete in the wall pour, including below formed openings.
 - 4) Engineer will evaluate the Contractor's work and may recommend taller concrete wall pours if concrete quality is acceptable.
 - 5) Preparation for all subsequent wall pours over 18 FT tall must be the same as the preparation of the test wall.
 - 6) Should the quality of concrete work on subsequent wall pours be judged inadequate, the Contractor may be directed to limit wall pour heights to 18 FT as originally specified.
 - 7) Should the quality of concrete work on the test wall be judged inadequate, additional test walls will not be observed and judged to allow pour heights greater than 18 FT unless allowed by Engineer.
- d. ~~Base slab, floor, and roof s~~ Slab construction joints:
- 1) ~~Roof topping slab P~~ pplacements to be approximately square and not to exceed 1200 SF.
 - 2) ~~Roof topping slab M~~ mmaximum side dimension of a slab pour to be less than:
 - a) Twice the length of the short side.
 - b) 40 FT.
 - 3) No re-entrant corners will be allowed in any concrete slab pour unless approved by the engineer. All pours shall be square or rectangular. All pours shall be square or rectangular unless approved by the engineer.
 - 4) Base slab construction joints spacing shall be as shown on the Plans.

CONTRACT ADDENDUM NO. 2

APPENDIX F

Washington State Department of Ecology Construction Stormwater General Permit is added to Appendix F and is included with this Addendum.

CONTRACT PLANS

The plan revisions are indicated by clouding on the sheets included with this Addendum.

Drawing No.	Description	Comments
2.02.01	TESC Plan	-Revised location of catch basin and revised approximate invert of roof drain pipe to the west
2.02.05	Drainage Plan	-Revised location of catch basin CB510, revised pipe slope to the east, and added invert of roof drain pipe to the west
2.02.06	Drainage Profiles	-Revised location of catch basin CB510, revised pipe slope to the east, and added invert of roof drain pipe to the west
2.02.07	Water and Irrigation Plan	-Revised hose bib to quick coupler connection per COR Std Plan 927 -Revised location of existing irrigation main symbol for clarity -Added sleeves for irrigation service lines under pavement
2.02.10	Parking Lot Details 2 of 3	-Revised notes in detail no. 3 -Revised sidewalk max. slope on detail no. 2 -Added note to detail no. 7
2.02.12	Striping Plans	-Revised Construction Notes to indicate that all pavement markings shall be painted -Revised Construction Note no. 2 to "Dotted Extension Line"
3.02.50	Underdrain System and Vault Drainage Plan	-Revised General Note no. 5 -Revised section details A thru D to indicate geotextile fabric to be installed vertically along sides of underdrain aggregate layer

CONTRACT ADDENDUM NO. 2

- Revised section detail D to not show backfill behind north vault wall
- 3.02.54 Vault Wall Drainage Details
 - Added detail numbers
 - Revised detail notes to reference Std Spec 9-33.2(3) for Prefabricated Drainage Mat material
 - Added notes to detail F
 - Revised dimension in Vault Wall Drain-Top Wall detail
 - Revised Vault Wall Drain-Bottom Wall detail note to indicate the drainage mat installation over the top of underdrain geotextile fabric

CONTRACT ADDENDUM NO. 2

Overlake Village South Detention Vault

SCHEDULE A

Show prices in figures only (ink or typed). Show cents to 2 decimal points. Where conflict occurs between the unit price and the total amount specified for any item, the Unit Price shall prevail, and totals shall be corrected to conform thereto. If any Unit Price is left blank, it will be considered no charge for that bid item, regardless of what has been placed in the Amount column.

Item No.	Spec. Sec. #	Item Description	Unit	Est. Quantity	Unit Price	Amount
1	1-04	Minor Change	EST	1	\$200,000.00	\$200,000.00
2	1-05	Surveying	LS	1		
3	1-05	Record Drawings (Minimum Bid \$2,000)	LS	1		
4	1-07	SPCC Plan	LS	1		
5	1-07	Property Restoration	EST	1	\$50,000.00	\$50,000.00
6	1-07	Utility Potholing	EST	1	\$10,000.00	\$10,000.00
7	1-08	Type B Progress Schedule (Minimum Bid \$4,000)	LS	1		
8	1-09	Mobilization	LS	1		
9	1-10	Traffic Control Supervisor	LS	1		
10	1-10	Flaggers and Spotters (Minimum Bid \$40/hour)	HR	4,600		

CONTRACT ADDENDUM NO. 2

Overlake Village South Detention Vault

SCHEDULE A

Show prices in figures only (ink or typed). Show cents to 2 decimal points. Where conflict occurs between the unit price and the total amount specified for any item, the Unit Price shall prevail, and totals shall be corrected to conform thereto. If any Unit Price is left blank, it will be considered no charge for that bid item, regardless of what has been placed in the Amount column.

Item No.	Spec. Sec. #	Item Description	Unit	Est. Quantity	Unit Price	Amount
11	1-10	Construction Signs Class A	SF	290		
12	1-10	Portable Changeable Message Sign	HR	5,000		
13	1-10	Uniformed Police Officer	HR	670		
14	1-10	Other Temporary Traffic Control	LS	1		
15	2-01	Clearing and Grubbing	LS	1		
16	2-02	Sawcutting	LF	1,000		
17	2-02	Removal of Structure and Obstruction	LS	1		
18	2-02	Decommission Monitoring Well	EA	10		
19	2-03	Gravel Borrow Incl. Haul	TON	11,500 17,100		
20	2-03	Embankment Compaction	CY	6,300		

CONTRACT ADDENDUM NO. 2

Overlake Village South Detention Vault

SCHEDULE A

Show prices in figures only (ink or typed). Show cents to 2 decimal points. Where conflict occurs between the unit price and the total amount specified for any item, the Unit Price shall prevail, and totals shall be corrected to conform thereto. If any Unit Price is left blank, it will be considered no charge for that bid item, regardless of what has been placed in the Amount column.

Item No.	Spec. Sec. #	Item Description	Unit	Est. Quantity	Unit Price	Amount
21	2-08	Temporary Dewatering System	LS	1		
22	2-08	Baker Tank	DAY	60		
23	2-09	Structure Excavation Class A Incl. Haul	CY	66,900 <u>60,000</u>		
24	2-09	Structure Excavation Class B Incl. Haul	CY	2,200 <u>3,300</u>		
25	2-09	Shoring or Extra Excavation Class B	SF	14,000		
26	2-09	Controlled Density Fill	CY	400 <u>150</u>		
27	4-04	Crushed Surfacing Base Course	T ON	5,800		
28	5-04	Commercial HMA	T ON	3,800		
29	5-04	Pavement Repair	SY	600		
30	5-04	Planing Bituminous Pavement	SY	5,600		

CONTRACT ADDENDUM NO. 2

Overlake Village South Detention Vault

SCHEDULE A

Show prices in figures only (ink or typed). Show cents to 2 decimal points. Where conflict occurs between the unit price and the total amount specified for any item, the Unit Price shall prevail, and totals shall be corrected to conform thereto. If any Unit Price is left blank, it will be considered no charge for that bid item, regardless of what has been placed in the Amount column.

Item No.	Spec. Sec. #	Item Description	Unit	Est. Quantity	Unit Price	Amount
31	6-10	Temporary Barrier with Screen Fence	LF	1,440		
32	6-15	Soil Nail - Bare Steel	EA	866		
33	6-15	Pre-Fabricated Drainage Mat for Shoring Wall	SY	785		
34	6-15	Pre-Fabricated Drainage Mat for Vault Wall	SY	3,100 <u>3,550</u>		
35	6-15	Soil Nail Verification Test	EA	4		
36	6-15	Soil Nail Proof Test	EA	41		
37	6-15	Shotcrete Facing	SF	25,615		
38	6-15	Vertical Element Shaft - 12-inch Diam.	LF	4,609		
39	6-15	Furnishing Vertical Elements	LF	4,609		
40	6-15	Removing Shaft Obstructions	EST	1	\$5,000.00	\$5,000.00

CONTRACT ADDENDUM NO. 2

Overlake Village South Detention Vault

SCHEDULE A

Show prices in figures only (ink or typed). Show cents to 2 decimal points. Where conflict occurs between the unit price and the total amount specified for any item, the Unit Price shall prevail, and totals shall be corrected to conform thereto. If any Unit Price is left blank, it will be considered no charge for that bid item, regardless of what has been placed in the Amount column.

Item No.	Spec. Sec. #	Item Description	Unit	Est. Quantity	Unit Price	Amount
41	7-01	Underdrain System	LS	1		
42	7-04	Al. Storm Sewer Pipe 0.075 In. Th. 36 In. Diam.	LF	16		
43	7-04	Solid Wall PVC Storm Sewer Pipe 8 In. Diam.	LF	548		
44	7-04	Solid Wall PVC Storm Sewer Pipe 12 In. Diam.	LF	941		
45	7-04	Solid Wall PVC Storm Sewer Pipe 18 In. Diam.	LF	412		
46	7-04	Solid Wall PVC Storm Sewer Pipe 24 In. Diam.	LF	16		
47	7-04	High-Density Polyethylene (HDPE) Storm Sewer Pipe 36 In. Diam.	LF	122		
48	7-04	Install Class V Reinf. Conc. Storm Sewer Pipe 48 In. Diam.	LF	38		
49	7-04	Testing and Video Inspection Storm Sewer Pipe	LF	2,093		
50	7-05	Catch Basin Type 1	EA	67		

CONTRACT ADDENDUM NO. 2

Overlake Village South Detention Vault

SCHEDULE A

Show prices in figures only (ink or typed). Show cents to 2 decimal points. Where conflict occurs between the unit price and the total amount specified for any item, the Unit Price shall prevail, and totals shall be corrected to conform thereto. If any Unit Price is left blank, it will be considered no charge for that bid item, regardless of what has been placed in the Amount column.

Item No.	Spec. Sec. #	Item Description	Unit	Est. Quantity	Unit Price	Amount
51	7-05	Catch Basin Type 2 48 In. Diam.	EA	12		
52	7-05	Manhole 72 In. Diam. Type 3	EA	1		
53	7-05	Manhole Additional Height 72 In. Diam. Type 3	LF	14		
54	7-05	Adjust Manhole	EA	6		
55	7-05	Adjust Catch Basin	EA	4		
56	7-05	Connection to Drainage Structure	EA	42		
57	7-05	Bioretention Filtration Unit, 4 Ft. X 4 Ft.	EA	2		
58	7-05	Bioretention Filtration Unit, 4 Ft. X 6 Ft.	EA	2		
59	7-05	Bioretention Filtration Unit, 6 Ft. X 6 Ft.	EA	2		
60	7-05	Bioretention Filtration Unit, 6 Ft. X 8 Ft.	EA	2		

CONTRACT ADDENDUM NO. 2

Overlake Village South Detention Vault

SCHEDULE A

Show prices in figures only (ink or typed). Show cents to 2 decimal points. Where conflict occurs between the unit price and the total amount specified for any item, the Unit Price shall prevail, and totals shall be corrected to conform thereto. If any Unit Price is left blank, it will be considered no charge for that bid item, regardless of what has been placed in the Amount column.

Item No.	Spec. Sec. #	Item Description	Unit	Est. Quantity	Unit Price	Amount
61	7-08	Plugging Existing Pipe	EA	65		
62	7-12	Replace Water Valve Cover and Box	EA	4		
63	7-15	Service Connection 2 In. Diam.	LS	1		
64	7-20	Vault Drainage	LS	1		
65	8-01	ESC Lead	DAY	480 70		
66	8-01	Tire Wash	EA	1		
67	8-01	Street Cleaning	HR	400		
68	8-01	Inlet Protection	EA	25		
69	8-01	Silt Fence	LF	110		
70	8-01	High Visibility Fence	LF	920		

CONTRACT ADDENDUM NO. 2

Overlake Village South Detention Vault**SCHEDULE A**

Show prices in figures only (ink or typed). Show cents to 2 decimal points. Where conflict occurs between the unit price and the total amount specified for any item, the Unit Price shall prevail, and totals shall be corrected to conform thereto. If any Unit Price is left blank, it will be considered no charge for that bid item, regardless of what has been placed in the Amount column.

Item No.	Spec. Sec. #	Item Description	Unit	Est. Quantity	Unit Price	Amount
71	8-02	PSIPE_Douglas Fir (10' Tall or greater)	EA	5		
72	8-02	PSIPE_Douglas Fir (5' Tall or greater)	EA	7		
73	8-02	PSIPE_Incense Cedar (10' Tall or greater)	EA	17		
74	8-02	PSIPE_Incense Cedar (5' Tall or greater)	EA	37		
75	8-02	PSIPE_Armstrong Maple (2" Caliper)	EA	62		
76	8-02	PSIPE_American Hophornbeam (2" Caliper)	EA	22		
77	8-02	PSIPE_Hollywood Juniper (6' Tall or greater)	EA	5		
78	8-02	PSIPE_Variegated Tartarian Dogwood (5 gallon)	EA	14		
79	8-02	PSIPE_Heavenly Bamboo (2 gallon)	EA	1,080		
80	8-02	PSIPE_Salal (1 gallon)	EA	3,000		

CONTRACT ADDENDUM NO. 2

Overlake Village South Detention Vault

SCHEDULE A

Show prices in figures only (ink or typed). Show cents to 2 decimal points. Where conflict occurs between the unit price and the total amount specified for any item, the Unit Price shall prevail, and totals shall be corrected to conform thereto. If any Unit Price is left blank, it will be considered no charge for that bid item, regardless of what has been placed in the Amount column.

Item No.	Spec. Sec. #	Item Description	Unit	Est. Quantity	Unit Price	Amount
81	8-02	PSIPE_Kinnickinnick (1 gallon)	EA	2,750		
82	8-02	Topsoil Type A	CY	2,500		
83	8-02	Fine Bark Mulch	CY	285		
84	8-03	Irrigation System Allowance	EST	1	\$58,000.00	\$58,000.00
85	8-04	Cement Concrete Barrier Curb	LF	700		
86	8-04	Cement Concrete Curb and Gutter	LF	1,850		
87	8-04	Cement Concrete Valley Gutter	LF	400		
88	8-04	Cement Concrete Extruded Curb	LF	2,260		
89	8-06	Cement Concrete Driveway Entrance Type 1	SY	20		
90	8-07	Manufactured Wheel Stop	EA	38		

CONTRACT ADDENDUM NO. 2

Overlake Village South Detention Vault

SCHEDULE A

Show prices in figures only (ink or typed). Show cents to 2 decimal points. Where conflict occurs between the unit price and the total amount specified for any item, the Unit Price shall prevail, and totals shall be corrected to conform thereto. If any Unit Price is left blank, it will be considered no charge for that bid item, regardless of what has been placed in the Amount column.

Item No.	Spec. Sec. #	Item Description	Unit	Est. Quantity	Unit Price	Amount
91	8-12	Temporary Security (Chain Link) Fence	LF	1,600 1,200		
92	8-14	Cement Concrete Sidewalk	SY	100		
93	8-20	Illumination System	LS	1		
94	8-21	Permanent Signing	LS	1		
95	8-22	Parking Lot Striping	LS	1		
96	8-24	Gravity (Modular) Block Wall	SF	45		
97	8-27	Temporary Roof Drain Bypass System	LS	1		
98	8-28	Bollard Barrier	EA	1		
99	10-01	Detention Vault Complete	LS	1		