

## NOTES:

- 1. USE GATE VALVE SERVICE CONNECTION. SEE STANDARD DETAIL 701B.
- 2. FOR 5/8 INCH X 3/4 INCH METER SETTERS. MANIFOLD LENGTH BETWEEN SETTERS SHALL BE 10 INCHES. FOR 1 INCH METER SETTERS, MANIFOLD LENGTH BETWEEN SETTERS SHALL BE 10 INCHES.
- 3. FOR 5/8 INCH X 3/4 INCH METER SETTERS, MANIFOLD SIZE SHALL BE 3/4 INCH FROM BUSHING AT CROSS. FOR 1 INCH METER SETTERS, MANIFOLD SIZE SHALL BE 1 INCH FROM BUSHING AT CROSS.
- 4. FOR 5/8 INCH X 3/4 INCH METER SETTERS, USE 1- 17 INCH X 30 INCH METER BOX AS SHOWN. FOR 1 INCH METER SETTERS, USE INDIVIDUAL METER BOXES SIMILAR TO THE SINGLE SERVICE STANDARD DETAIL 703.
- 5. THE METER BOX SHALL BE CENTERED OVER THE SETTER ASSEMBLY AS SHOWN.

CITY OF REDMOND, WASHINGTON

APPROVED BY: RON GRANT

REVISION DATE: MARCH 01, 2010

CITY ENGINEER





STANDARD DETAILS

TRIPLE SERVICE MANIFOLD

FILE NAME: SD703B.DWG DETAIL NUMBER: 703B