FACE OF CURB

BACK OF CURB

1' WIDE BAND

4' X 6' TREE GRATE

VARIES

VARIES

PLAN VIEW
NTS

3/8" EXPANSION
(FULL DEPTH) TYP

2' X 2' SCORED CONCRETE. SCORE TO BE
SAWCUT AT 1/2" DEPTH X 1/8" WIDE. NO
SHINE, NO RADIUS ON EDGE, NO SMOOTH
FLANGE ALONG EITHER SIDE OF JOINT.

MAJOR STREET

VARIES

3/8" EXPANSION
(FULL DEPTH) TYP

**NOT A 90 DEGREE
CORNER**
NTS

VARIES

1' TRANSITION BAND FOR NON
90°CORNERS FOR SCORING
TRANSITION (SEE NOTES 1 & 2)

FACE OF BUILDING
OR BACK OF SIDEWALK

MINOR STREET

VARIES

NOTES:

1.   LOCATE 1' TRANSITION BAND
     OUTSIDE OF RADIUS RETURN AND
     ADA RAMP.

2.   IF FACE OF BUILDING AT BACK OF
     SIDEWALK LOCATE 1' TRANSITION
     AT CORNER OF BUILDING.

3.   ORIENT UTILITY BOXES TO ALIGN
     WITH THE SCORING.

CITY OF REDMOND, WASHINGTON		STANDARD DETAILS
APPROVED BY: RON GRANT CITY ENGINEER	RONALD D. GRANT STATE OF WASHINGTON REGISTERED 14817 PROFESSIONAL ENGINEER CityofRedmond WASHINGTON	**DOWNTOWN PEDESTRIAN SIDEWALK**
REVISION DATE: MARCH 01, 2011		FILE NAME: SD303B.DWG · DETAIL NUMBER: **303B**