

PLEASE indicate reporting year and your jurisdiction in Line 1, above.

PLEASE refer to the INSTRUCTIONS tab for assistance filling out this table.

NOTE: Items that have future compliance dates must still be answered to indicate status.

NOTE: Highlighted questions indicate permit requirements that are due for calendar year 2008.

NOTE: For clarification on how to answer questions, place cursor over cells with red flags.

PLEASE review your work for completeness and accuracy. Save this worksheet as you go!

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, <u>if applicable</u>
1.	<b>Attached</b> annual written update of Permittee's Stormwater Management Program (SWMP), including applicable requirements under S5.A.2 and S9?	Y			Stormwater Management Plan (SWMP) Attachment 1
2.	<b>Attached</b> a copy of any annexations, incorporations or boundary changes resulting in an increase or decrease in the Permittee's geographic area of permit coverage during the reporting period, and implications for the SWMP as per S9.E.3?	Y			Attachment 2. Minor additions of area covered by the SWMP. Right of way and residential land uses.
3.	Implemented an ongoing program for gathering, tracking, maintaining, and using information to evaluate SWMP development, implementation and permit compliance and to set priorities? (S5.A.3)	Y			
4.	Began tracking costs or estimated costs of the development and implementation of the SWMP? ( <i>Required</i> no later than January 1, 2009, S5.A.3.a)	NA		tracking actual costs starting January 1, 2009	

Question		Y/N/NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
5.	SWMP includes an education program aimed at residents, businesses, industries, elected officials, policy makers, planning staff and other employees of the Permittee? ( <i>Required to begin</i> by February 15, 2009, S5.C.1)	NA		requirement not yet due	
6.	Distributed appropriate information to target audiences identified in the area served by the MS4? ( <i>Required to begin</i> by February 15, 2009, S5.C.1.a)	NA		requirement not yet due	
6b.	Please mark a <b>Y</b> next to audiences targeted in Y/N/NA box:	Y			
i	General Public	Y			
ii	Home-based business	NA		requirement not yet due	
iii	Elected officials	NA		requirement not yet due	
iv	Developers	NA		requirement not yet due	
v	Contractors	NA		requirement not yet due	
vi	Permittee Employees	Y		surveyed city staff on understanding of stormwater and surface water	
vii	Residents	Y			
viii	Businesses	Y			
ix	Policy makers	Y			
x	Engineers	Y			
xi	Property managers	NA		requirement not yet due	
xii	Homeowners	Y			
xiii	Mobile businesses	NA		requirement not yet due	
xiv	Industries	NA		requirement not yet due	
xv	Landscapers	NA		requirement not yet due	
xvi	Planning Staff	Y			
7.	Tracked the types of public education and outreach activities implemented. ( <i>Required to begin</i> by February 15, 2009, S5.C.1.c)	NA		requirement not yet due	

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
7b.	Number of activities implemented:		0		
8.	Measured the understanding and adoption of the targeted behaviors among targeted audiences. ( <i>Required to begin</i> by February 15, 2009, S5.C.1.b)	Y		Not all audiences identified in 6b were measured for understanding and adoption.	
9.	Provided opportunities for the public to participate in the decision making processes involving the development, implementation and updates of the Permittee's SWMP? ( <i>Required</i> by February 15, 2008, S5.C.2.a)	Y			
10.	Developed and implemented a process for public involvement and consideration of public comments on the SWMP? ( <i>Required</i> by February 15, 2008, S5.C.2.a)	Y			
11.	Made the most current version of the SWMP available to the public. (S5.C.2.b)	Y			
12.	Posted the SWMP and latest annual report on your website. (S5.C.2.b)	Y			
12b.	NOTE website address in <i>Attachment</i> field:				www.redmond.gov
13.	Initiated or implemented an ongoing program to detect and remove illicit connections and illegal discharges into the Permittee's MS4? ( <i>Required</i> August 19, 2011, S5.C.3)	NA		program initiation has occurred but program not fully implemented	
14.	Developed and currently maintain a map of your MS4? ( <i>Required</i> by February 15, 2011, S5.C.3.a)	NA		requirement not yet due	

Question	Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
14b. Initiated a program to develop and maintain a map of all connections to the MS4 authorized or allowed by the Permittee after the Permit effective date? (S5.C.3.a.ii)	Y			
15. Map shows the location of all known municipal separate storm sewer outfalls, receiving waters and structural stormwater BMPs owned, operated, or maintained by the Permittee? ( <i>Required</i> by February 15, 2011, S5.C.3.a.i)	NA		requirement not yet due	
16. Map shows all storm sewer outfalls with a 24 inch nominal diameter or larger, or an equivalent cross-sectional area for non-pipe systems and includes tributary conveyances, associated drainage areas and land use? ( <i>Required</i> by February 15, 2011, S5.C.3.a.i)	NA		requirement not yet due	
17. Map shows geographic areas served by the Permittee's MS4 that do not discharge stormwater to surface waters? ( <i>Required</i> by February 15, 2011, S5.C.3.a.iii)	NA		requirement not yet due	
18. Map has been made available upon request? (S5.C.3.a.iv)	NA			
19. Developed and implemented regulatory actions necessary to effectively prohibit non-stormwater, illegal discharges, and/or dumping into the Permittee's MS4? ( <i>Required</i> by August 15, 2009, S5.C.3.b)	NA		requirement not yet due	

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
20.	Developed and implemented an ongoing program to detect and address non-stormwater discharges, spills, illicit connections and illegal dumping into the Permittee's MS4? <i>(Required by August 19, 2011, S5.C.3.c)</i>	NA		requirement not yet due	
21.	Developed procedures for locating priority areas likely to have illicit discharges, including at a minimum: evaluating land uses and associated business/industrial activities present; areas where complaints have been registered in the past; and areas with storage of large quantities of materials that could result in spills? <i>(Required by August 19, 2011, S5.C.3.c.i)</i>	NA		requirement not yet due	
22.	Implemented field assessment activities, including visual inspection of priority outfalls identified during dry weather, and for the purposes of verifying outfall locations, identified previously unknown outfalls, and detected illicit discharges? <i>(Required by August 19, 2011, S5.C.3.c.ii)</i>	NA		requirement not yet due	
23.	Prioritized receiving waters for visual inspection? <i>(Required by February 15, 2010, S5.C.3.c.ii)</i>	NA		requirement not yet due	
24.	Conducted field assessments for three high priority water bodies? <i>(Required by February 15, 2011, S5.C.3.c.ii)</i>	NA		requirement not yet due	

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, <u>if applicable</u>
25.	Conducted field assessments on at least one high priority water body? ( <i>Required</i> annually <b>after</b> February 15, 2011, S5.C.3.c.ii)	NA		requirement not yet due	
26.	Developed and implemented procedures for characterizing the nature of, and potential public or environmental threat posed by, any illicit discharges found by or reported to the Permittee? ( <i>Required</i> by August 19, 2011, S5.C.3.c.iii)	NA		requirement not yet due	
27.	Developed and implemented procedures for tracing the source of an illicit discharge; including visual inspections, and when necessary, opening manholes, using mobile cameras, collecting and analyzing water samples, and/or other detailed inspection procedures? ( <i>Required</i> by August 19, 2011, S5.C.3.c.iv)	NA		requirement not yet due	
28.	Developed and implemented procedures for removing the source of the discharge, including notification of appropriate authorities; notification of the property owner; technical assistance for eliminating the discharge; follow-up inspections; and escalating enforcement and legal actions if the discharge is not eliminated? ( <i>Required</i> by August 19, 2011, S5.C.3.c.v.)	NA		requirement not yet due	
29.	Informed public employees, businesses, and the general public of hazards associated with illegal discharges and improper disposal of waste? ( <i>Required</i> by August 19, 2011, S5.C.3.d)	NA		requirement not yet due	

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
30.	Distributed appropriate information to target audiences identified pursuant to S5.C.1? <i>(Required by August 19, 2011, S5.C.3.d.i)</i>	NA		requirement not yet due	
31.	Publicized a hotline or other local telephone number for public reporting of spills and other illicit discharges? <i>(Required by February 15, 2009, S5.C.3.d.ii)</i>	NA		requirement not yet due	
31b.	Number of hotline calls received:		0		
31c.	Number of follow-up actions taken in response to calls:		0		
32	Tracked the number and type of spills? <i>(Required by August 19, 2011, S5.C.3.e)</i>	NA		requirement not yet due	
32b.	Number of spills:		0		
33	Tracked the number of illicit discharges identified? <i>(Required by August 19, 2011, S5.C.3.e)</i>	NA		requirement not yet due	
33b.	Number of illicit discharges identified:		0		
34	Tracked the number of inspections made for illicit connections? <i>(Required by August 19, 2011, S5.C.3.e)</i>	NA		requirement not yet due	
34b.	Number of inspections:		0		
35	Received feedback from IDDE public education efforts? <i>(Required by August 19, 2011, S5.C.3.e)</i>	NA		requirement not yet due	
36	<b>Attached</b> report on IDDE public education efforts? <i>(Required by August 19, 2011, S5.C.3.d, S5.C.3.e)</i>	NA		requirement not yet due	

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
37	Municipal field staff responsible for identification, investigation, termination, cleanup, and reporting of illicit discharges, improper disposal and illicit connections are trained to conduct these activities? ( <i>Required</i> by August 15, 2009, S5.C.3.f.i)	NA		requirement not yet due	
37b.	Number of trainings provided:		0		
37c.	Number of staff trained:		0		
38	Provided follow-up training as needed to address changes in procedures, techniques or requirements? ( <i>Required</i> by August 15, 2009, S5.C.3.f.i)	NA		requirement not yet due	
38b.	Number of trainings provided:		0		
38c.	Number of staff trained:		0		
39	Developed and implemented an ongoing training program on the identification of an illicit discharge/connection, and on the proper procedures for reporting and responding to the illicit discharge/ connection for all municipal field staff, which, as part of their normal job responsibilities, might come into contact with or otherwise observe an illicit discharge or illicit connection to the storm sewer system? ( <i>Required</i> by February 15, 2010, S5.C.3.f.ii.)	NA		requirement not yet due	
39b.	Number of trainings provided:		0		
39c.	Number of staff trained:		0		

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
40	Developed, implemented and enforced a program to reduce pollutants in stormwater runoff to a regulated small MS4 from new development, redevelopment and construction site activities? <i>(Required by August 15, 2009, S5.C.4)</i>	NA		requirement not yet due	
41	Applied stormwater runoff program to all sites that disturb a land area 1 acre or greater, including projects less than one acre that are part of a larger common plan of the development or sale? <i>(Required by August 15, 2009, S5.C.4)</i>	NA		requirement not yet due	
42	Applied stormwater runoff program to private and public development, including roads? <i>(Required by August 15, 2009, S5.C.4)</i>	NA		requirement not yet due	
43	Applied the Technical Thresholds in Appendix 1 to all sites 1 acre or greater, including projects less than one acre that are part of a larger common plan of the development or sale? <i>(Required by August 15, 2009, S5.C.4)</i>	NA		requirement not yet due	
44	Adopted and implemented regulatory mechanism (such as an ordinance) necessary to address run-off from new development, redevelopment and construction site activities? <i>(Required by August 15, 2009, S5.C.4.a)</i>	NA		requirement not yet due	

Question	Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
45	Retained existing local requirements to apply stormwater controls at smaller sites or at lower thresholds than required pursuant to S5.C.4? (S5.A.4)	Y		
46	The ordinance or other enforceable mechanism includes the minimum requirements, technical thresholds, and definitions in Appendix 1 (or an equivalent approved by Ecology under the NPDES Phase I Municipal Stormwater Permit) for new development, redevelopment, and construction sites? ( <i>Required</i> by August 15, 2009, S5.C.4.a.i)	NA	requirement not yet due	
47	The ordinance or other enforceable mechanism includes exceptions and variance criteria equivalent to those in Appendix 1? ( <i>Required</i> by August 15, 2009, S5.C.4.a.i., and Section 6 of Appendix 1)	NA	requirement not yet due	
48	Were exceptions or variances to the minimum requirements in Appendix 1 granted? ( <i>Required</i> by August 15, 2009, S5.C.4.a.i., and Section 6 of Appendix 1)	NA	requirement not yet due	
48b.	If so, how many were granted?		0	

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, <u>if applicable</u>
49	The ordinance or other enforceable mechanism includes a site planning process and BMP selection and design criteria that, when used to implement the minimum requirements in Appendix 1 (or equivalent approved by Ecology under the Phase I Permit) will protect water quality, reduce the discharge of pollutants to the maximum extent practicable and satisfy the State requirement under Chapter 90.48 RCW to apply all known, available and reasonable methods of prevention, control and treatment (AKART) prior to discharge? ( <i>Required</i> by August 15, 2009, S5.C.4.a.ii)	NA		requirement not yet due	
49b.	Cite documentation to meet this requirement in <i>Attachment</i> field:	Y			
50	The ordinance or other enforceable mechanism provides the legal authority, through the approval process for new development, to inspect private stormwater facilities that discharge to the Permittee's MS4? ( <i>Required</i> by August 15, 2009, S5.C.4.a.iii)	NA		requirement not yet due	

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
51	The ordinance or other enforceable mechanism allows non-structural preventive actions and source reduction approaches such as Low Impact Development (LID) Techniques to minimize the creation of impervious surfaces and minimize the disturbance of native soils and vegetation? ( <i>Required</i> by August 15, 2009, S5.C.4.a.iv)	NA		requirement not yet due	
52	If the ordinance or regulatory mechanism allows construction sites to apply the <b>Erosivity Waiver</b> in Appendix 1, Minimum Requirement #2, does it include appropriate, escalating enforcement sanctions for construction sites that provide notice to the Permittee of their intention to apply the waiver but do not meet the requirements (including timeframe restrictions, limits on activities that result in non-stormwater discharges, and implementation of appropriate BMPs to prevent violations of water quality standards) to qualify for the waiver? (If waiver is allowed, the qualification is <i>required</i> by August 15, 2009, S5.C.4.a.v)	NA		The City does not allow construction sites to apply for an erosivity waiver	
53	Developed and implemented a permitting process to address runoff from new development, redevelopment and construction site activities with plan review, inspection, and enforcement capability? ( <i>Required</i> by August 15, 2009, S5.C.4.b)	NA		requirement not yet due	

Question		Y/N/NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
54	Applied permitting process to all sites that disturb a land area 1 acre or greater, including projects less than one acre that are part of a larger common plan of the development or sale? ( <i>Required</i> by August 15, 2009, S5.C.4.b)	Y			
55	Reviewed <b>Stormwater Site Plans</b> for new development and redevelopment projects? ( <i>Required</i> by August 15, 2009, S5.C.4.b.i)	NA		requirement not yet due	
55b.	Number of site plans reviewed during the reporting period:		0		
56	Inspected, prior to clearing and construction, all known development sites that have a high potential for sediment transport as determined through plan review based on definitions and requirements in Appendix 7 <b>Determining Construction Site Sediment Potential</b> ? ( <i>Required</i> by August 15, 2009, S5.C.4.b.ii)	NA			
56b.	Number of qualifying sites inspected prior to clearing and construction during the reporting period:		0		
57	Inspected construction-phase stormwater controls at all known permitted development sites during construction to verify proper installation and maintenance of required erosion and sediment controls? ( <i>Required</i> by August 15, 2009, S5.C.4.b.iii)	Y			

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
57b.	Number of sites inspected during the construction phase for the reporting period:		226		
58	Enforced as necessary based on the inspection at new development and redevelopment projects? ( <i>Required</i> by August 15, 2009, S5.C.4.b.iii)	Y			
58b.	Number of enforcement actions taken during the reporting period:		65		
59	Inspected qualifying permitted development sites upon completion of construction and prior to final approval or occupancy to ensure proper installation of permanent stormwater controls such as stormwater facilities and structural BMPs? ( <i>Required</i> by August 15, 2009, S5.C.4.b.iv and v)	Y			
59b.	Number of qualifying sites known during the reporting period:		226		
59c.	Number of qualifying sites inspected during the reporting period:		226		
60	Verified a maintenance plan is completed and responsibility for maintenance is assigned for qualifying projects? ( <i>Required</i> by August 15, 2009, S5.C.4.b.iv)	NA			
61	Enforced regulations as necessary based on the inspection? ( <i>Required</i> by August 15, 2009, S5.C.4.b.iv)	NA			
61b.	Number of enforcement actions taken during the reporting period:		0		

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
62	Developed and implemented an enforcement strategy to respond to issues of non-compliance with the regulations for qualifying projects? ( <i>Required</i> by August 15, 2009, S5.C.4.b.vi)	NA			
63	Did the Permittee choose to allow construction sites to apply the <b>Erosivity Waiver</b> in Appendix 1, Minimum Requirement #2? (S5.C.4.b.vii)	N		Redmond does not allow for erosivity waivers	
63b.	If yes, how many waivers were allowed ?		0		
64	Developed and implemented a long-term operation and maintenance (O&M) program for post-construction stormwater facilities and BMPs? ( <i>Required</i> by August 15, 2009, S5.C.4.c)	NA		requirement not yet due	
65	Adopted an ordinance or other regulatory mechanism that clearly identifies the party responsible for maintenance, requires inspection of facilities and establishes enforcement procedures? ( <i>Required</i> by August 15, 2009, S5.C.4.c.i)	NA		requirement not yet due	
66	Inspected post-construction stormwater controls, including structural BMPs, at new development and redevelopment projects? ( <i>Required</i> by August 15, 2009, S5.C.4.c)	NA		requirement not yet due	
66b.	Number of sites inspected during the reporting period:		0		
66c.	Number of structural BMPs inspected during the reporting period:		0		
66d.	Number of enforcement actions taken during the reporting period:		0		

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, <u>if applicable</u>
67	Established maintenance standards that are as protective, or more protective, of facility function as those specified in Chapter 4 of Volume V of the <b>2005 Stormwater Management Manual for Western Washington</b> ? ( <i>Required</i> by August 15, 2009, S5.C.4.c.ii)	NA		requirement not yet due	
68	Performed timely maintenance as per S5.C.4.c.ii? ( <i>Required</i> by August 15, 2009, S5.C.4.c.ii)	NA		requirement not yet due	
68b.	<b>Attached</b> documentation of any maintenance delays. ( <i>Required</i> by August 15, 2009, S5.C.4.c.ii)	NA		requirement not yet due	
69	Annually inspected all stormwater treatment and flow control facilities (other than catch basins) permitted by the Permittee according to S5.C.4.b. unless there are maintenance records to justify a different frequency? ( <i>Required</i> by August 15, 2009, S5.C.4.c.iii)	NA		requirement not yet due	
70	If using reduced inspection frequency, <b>Attached</b> documentation as per S5.C.4.c.iii? ( <i>Required</i> by August 15, 2009, S5.C.4.c.iii)	NA		requirement not yet due	

Question	Y/N/NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
71	Inspected all new stormwater treatment and flow control facilities owned or operated, including catch basins, for new residential developments that are a part of a larger common plan of development or sale, every 6 months during the period of heaviest house construction (i.e., 1 to 2 years following subdivision approval) to identify maintenance needs and enforce compliance with maintenance standards as needed? ( <i>Required</i> by August 15, 2009, S5.C.4.c.iv)	NA	requirement not yet due	
71b.	Number of facilities inspected during the reporting period:	0		
72	Implemented a procedure for keeping records of inspections and enforcement actions by staff, including inspection reports, warning letters, notices of violations, other enforcement records, maintenance inspections and maintenance activities? ( <i>Required</i> by August 15, 2009, S5.C.4.d)	Y		
73	Provided copies of the <b>Notice of Intent for Construction Activity</b> and <b>Notice of Intent for Industrial Activity</b> to representatives of proposed new development and redevelopment? (S5.C.4.e)	Y		

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
74	All staff responsible for implementing the program to control stormwater runoff from new development, redevelopment, and construction sites, including permitting, plan review, construction site inspections, and enforcement were trained to conduct these activities? <i>(Required by August 15, 2009, S5.C.4.f)</i>	Y			
74b.	Number of trainings provided:		6		
74c.	Number of staff trained:		13		
75	Developed and implemented an operations and maintenance (O&M) program that includes a training component and has the ultimate goal of preventing or reducing pollutant runoff from municipal operations? <i>(Required by February 15, 2010, S5.C.5)</i>	NA		requirement not yet due	
76	Adopted maintenance standards as protective, or more protective, of facility function as those specified in Chapter 4 of Volume V of the 2005 <i>Stormwater Management Manual for Western Washington</i> ? <i>(Required by February 15, 2010, S5.C.5.a)</i>	NA		requirement not yet due	
77	Performed timely maintenance as per S5.C.5.a.ii? <i>(Required by February 15, 2010, S5.C.5.a.ii)</i>	NA		requirement not yet due	
77b.	<b>Attached</b> documentation of any maintenance delays. <i>(Required by February 15, 2010, S5.C.5.a.ii)</i>	NA		requirement not yet due	

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
78	Annually inspected and maintained all stormwater treatment and flow control facilities (other than catch basins)? <i>(Required by February 15, 2010, S5.C.4.c.iii)</i>	NA		requirement not yet due	
78b.	Number of known facilities:		0		
78c.	Number of facilities inspected during the reporting period:		0		
79	If using reduced inspection frequency, <b>Attached</b> documentation as per S5.C.5.a.ii? <i>(Required by February 15, 2010, S5.C.5.b)</i>	NA		requirement not yet due	
80	Conducted spot checks of stormwater facilities after major storms? <i>(Required by February 15, 2010, S5.C.5.c)</i>	NA		requirement not yet due	
80b.	Number of known facilities:		0		
80c.	Number of facilities inspected during the reporting period:		0		
81	Inspected municipally owned or operated catch basins at least once before the end of the Permit term? <i>(Required by February 15, 2010, S5.C.5.d)</i>	NA		requirement not yet due	
81b.	Number of known catch basins:		0		
81c.	Number of inspections:		0		
81d.	Number of catch basins cleaned:		0		

Question		Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
82	Established and implemented practices to reduce stormwater impacts associated with runoff from streets, parking lots, roads or highways owned or maintained by the Permittee, and road maintenance activities conducted by the Permittee? <i>(Required by February 15, 2010, S5.C.5.f)</i>	NA		requirement not yet due	
83	Established and implemented policies and procedures to reduce pollutants in discharges from all lands owned or maintained by the Permittee and subject to this Permit, including but not limited to: parks, open space, road right-of-way, maintenance yards, and stormwater treatment and flow control facilities? <i>(Required by February 15, 2010, S5.C.5.g)</i>	NA		requirement not yet due	
84	Initiated or implemented an operations and maintenance (O&M) program that includes a training component and has the ultimate goal of preventing or reducing pollutant runoff from municipal operations? <i>(Required by February 15, 2010, S5.C.5.h.)</i>	NA		requirement not yet due	
84b.	Number of trainings provided:		0		
84c.	Number of staff trained:		0		

Question	Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, if applicable
85 Initiated or implemented a Stormwater Pollution Prevention Plan (SWPPP) for all heavy equipment maintenance or storage yards, and material storage facilities owned or operated by the Permittee in areas subject to this Permit that are not required to have coverage under the Industrial Stormwater General Permit? ( <i>Required</i> by February 15, 2010, S5.C.5.i)	NA		requirement not yet due	
86 Is there an approved Total Maximum Daily Load (TMDL) applicable to stormwater discharges from a MS4s owned or operated by the Permittee?	N		Bear-Evans Creek TMDL for Temp and DO and Fecal Coliform are not listed in Appendix 2 and were approved after permit issuance.	
87 Complied with the specific requirements identified in Appendix 2? (S7.A)	NA			
88 <b>Attached</b> status report of TMDL implementation? (S7.A)	NA			
89 Where monitoring was required in Appendix 2, did you conduct the monitoring according to an approved Quality Assurance Project Plan? (S7.A)	NA			
90 Took appropriate action to correct or minimize the threat to human health or the environment or otherwise stop or correct the condition of any instances of non-compliance with any of the terms and conditions of this Permit, including discharges from the Permittee's MS4 which may cause a threat to human health or the environment? (G20.A)	NA			

Question	Y/N/ NA	#	Comments (50 word limit)	Name of Attachment & Page #, <u>if applicable</u>
90b. <b>Attached</b> a summary of the status of implementation of any actions taken pursuant to S4.F and any information from an assessment and evaluation procedures collected during the reporting period. (S4.F.2.d)	NA			
91 Notified Ecology of the failure to comply with the permit terms and conditions within 30 days of becoming aware of the non-compliance? (G20.B)	NA			
92 Notified Ecology immediately in cases where the Permittee becomes aware of a discharge from the Permittees MS4 which may cause or contribute to an imminent threat to human health or the environment? (G20.C)	NA			