

Date: Jul 19, 2017

Quote: SEATAC-WWA17-39151-5

# Quote

Page 1/6



Sea-Tac Lighting & Controls, LLC  
4439 S. 134th Place Bld. E  
Tukwila WA 98168  
Phone: (206) 575-6865  
Fax:

**Project** Redmond TI  
**Location** Redmond WA  
**Quote** SEATAC-WWA17-39151-5

**From:** Kalyn Neils  
**Quoter Ph:** (206) 708-8088  
**email:** kneils@seataclighting.com

**To:** Lee Driftmier  
Driftmier Architects  
7983 Leary Way NE  
Redmond WA 98052  
Phone: 1 (425) 881-7506  
EMail: lee@driftmier.com

**For**  
**Bid Date** Jul 18, 2017  
**Expires** Sep 1, 2017  
Architect: Driftmier Architects

QTY	Type	MFG	Part	Price	UQ	ExtPrice
Note			QUOTING COMPLETE PACKAGE PER SCHEDULE SENT 7/17/17			
Note			INCLUDES SUBJECT TO APPROVAL EXIT/EGRESS LIGHTING			
Note			NO PLANS OR SPECS PROVIDED			
Note			CONFIRM COUNTS			
8	PL-1	LUMI	PR1670-L1W48R0-VOLT-FINISH-K35-SPG96 Prisma Nova 16" LED Pendant, 46W	\$918.00		\$7,344.00
		<b>Line Note:</b>	Quoting 3500K with 96" adjustable suspension cable			
1	PL-2	LOL	C6RN Calculite 6" Non-IC	\$230.00		\$230.00
		<b>Line Note:</b>	Bar Hangers included			
1	PL-2	LOL	C6L10835MZ10U CALCULITE 6" 1000LM 80 35K MED 0-10V UNV	(included)		-
		<b>Line Note:</b>	Quoting 3500K, medium 55° beam spread, 0-10v dimming			
1	PL-2	LOL	C6RDLCL CALCULITE 6" DL CL FINISH WH FLNG	(included)		-
		<b>Line Note:</b>	Quoting specular clear finish with white flange			
Note	PL-2		CALCULITE FIXTURE IS WET LISTED BUT HAS NO DEAD FRONT TRIM OPTION			
Note	PL-2		QUOTING DMF DEAD FRONT OPTION FOR REFERENCE IF REQUIRED			
0	PL-2-W	DMF	DRDHNIC470 DRD2 Recessed LED Downlight 4", 750lm, 0-10v dimming	\$138.00		
		<b>Line Note:</b>	Bar Hangers included			
0	PL-2-W	DMF	DRD2M7935A Light Engine	(included)		-
0	PL-2-W	DMF	DRD2TR4SWHDF Dead Front Trim	(included)		-



Sea-Tac Lighting & Controls, LLC  
 4439 S. 134th Place Bld. E  
 Tukwila WA 98168  
 Phone: (206) 575-6865  
 Fax:

**Project** Redmond TI  
**Location** Redmond WA  
**Quote** SEATAC-WWA17-39151-5

**From: Kalyn Neils**  
**Quoter Ph: (206) 708-8088**  
**email: kneils@seataclighting.com**

QTY	Type	MFG	Part	Price	UQ	ExtPrice
Note	PL-2-W		DEAD FRONT TRIM OPTION ONLY AVAILABLE IN 4", 750LM, SMOOTH STYLE			
3	PL-3	PINN	E4A-835-4-GX-U-OL1(0-10V)-1-0-W Edge 4 with Satine Lens <b>Line Note:</b> Quoting 3500K, medium lumen output, 0-10v dimming	\$353.00		\$1,059.00
1	PL-4	OXYG	3-537-24 Adelphi Vanity	\$177.00		\$177.00
3	PL-5	DAYB	FSS880L835-UNV-DIM Fluxstream LED Strip 8' <b>Line Note:</b> Quoting 3500K, 8000lm output, 0-10v dimming	\$177.00		\$531.00
0	PL-6	PINN	EX6-AL-N-835HO-4-AC48GX-U-OL1(0-10V)-1-0-W Edge EX6 with Drop Lens <b>Line Note:</b> Quoting 3500K, high output lumen package, 0-10v dimming	\$564.00		
1	T-1	LOL	42FT TRACK RUN CONSISTING OF:	\$1,159.00		\$1,159.00
5	T-1	LOL	6003NWH 8'JOIN BASIC TRACK WH <b>Line Note:</b> Includes Mini Coupler	(included)		-
1	T-1	LOL	6000NWH 2'IND BASIC TRACK WH <b>Line Note:</b> Includes Live End Feed Connector	(included)		-
1	T-1	LOL	6060WH End Feed Canopy Kit	(included)		-
17	T-1	LOL	7586 STEM MOUNTING KIT/48"L <b>Line Note:</b> 2 per 2' & 3 per 8' track	(included)		-
1	PL-7	LOL	6099WH POWERTRIP BASIC LIVE END CANOPY WHITE	(included)		-
1	PL-7	LOL	PLD840WH POWERTRIP NEW DESIGN PLUG-IN BREAKER <b>Line Note:</b> Confirm wattage required	(included)		-
14	TH-OPT1	LOL	LC10835WTE OmniSpot LED 1000lm 80CRI 35K WH ELV <b>Line Note:</b> Quoting 3500K, white finish	\$121.00		\$1,694.00
14	TH-OPT1	LOL	LLMRNF LYTESPAN MINI REFLECTOR NARROW FLOOD <b>Line Note:</b> Quoting 24° narrow flood	(included)		-



Sea-Tac Lighting & Controls, LLC  
 4439 S. 134th Place Bld. E  
 Tukwila WA 98168  
 Phone: (206) 575-6865  
 Fax:

**Project** Redmond TI  
**Location** Redmond WA  
**Quote** SEATAC-WWA17-39151-5

**From:** Kalyn Neils  
**Quoter Ph:** (206) 708-8088  
**email:** kneils@seataclighting.com

QTY	Type	MFG	Part	Price	UQ	ExtPrice
0	TH-OPT2	LOL	LLAV1130WH ALCYON LED VERTICAL CYL 3000K 1000L WH <b>Line Note:</b> Quoting 3000K, white finish	\$164.00		
0	TH-OPT2	LOL	LLAV11RNF ALCYON LED VERTICAL 600/1000 CYL RFL NAR <b>Line Note:</b> Quoting 24° narrow flood	(included)		-
Note	T-1/TH		TRACK HEAD NOT SPECIFIED; QUOTING 2 OPTIONS FOR REFERENCE			
Note	TH		THESE OPTIONS ARE SUBJECT TO APPROVAL			
4	T-2	LOL	24FT TRACK RUN CONSISTING OF: <b>Line Note:</b> Track can be field cut down to 23'	\$674.00		\$2,696.00
8	T-2	LOL	6003NWH 8'JOIN BASIC TRACK WH <b>Line Note:</b> Includes Mini Coupler	(included)		-
4	T-2	LOL	6002NWH 8'IND BASIC TRACK WH <b>Line Note:</b> Includes Live End Feed Connector	(included)		-
4	T-2	LOL	6060WH End Feed Canopy Kit	(included)		-
36	T-2	LOL	7586 STEM MOUNTING KIT/48"L <b>Line Note:</b> 2 per 2' & 3 per 8' track	(included)		-
4	PL-8	LOL	6099WH POWERTRIP BASIC LIVE END CANOPY WHITE	(included)		-
4	PL-8	LOL	PLD240WH POWERTRIP NEW DESIGN PLUG-IN BREAKER <b>Line Note:</b> Confirm wattage required	(included)		-
28	TH-OPT1	LOL	LC10835WTE OmniSpot LED 1000lm 80CRI 35K WH ELV <b>Line Note:</b> Quoting 3500K, white finish	\$121.00		\$3,388.00
28	TH-OPT1	LOL	LLMRNF LYTESPAN MINI REFLECTOR NARROW FLOOD <b>Line Note:</b> Quoting 24° narrow flood	(included)		-
0	TH-OPT2	LOL	LLAV1130WH ALCYON LED VERTICAL CYL 3000K 1000L WH <b>Line Note:</b> Quoting 3000K, white finish	\$164.00		



Sea-Tac Lighting & Controls, LLC  
 4439 S. 134th Place Bld. E  
 Tukwila WA 98168  
 Phone: (206) 575-6865  
 Fax:

**From: Kalyn Neils**  
**Quoter Ph: (206) 708-8088**  
**email: kneils@seataclighting.com**

**Project** Redmond TI  
**Location** Redmond WA  
**Quote** SEATAC-WWA17-39151-5

QTY	Type	MFG	Part	Price	UQ	ExtPrice
0	TH-OPT2	LOL	LLAV11RNF ALCYON LED VERTICAL 600/1000 CYL RFL NAR	(included)		-
			<b>Line Note:</b> Quoting 24° narrow flood			
Note	T-2/TH		TRACK HEAD NOT SPECIFIED; QUOTING 2 OPTIONS FOR REFERENCE			
Note	TH		THESE OPTIONS ARE SUBJECT TO APPROVAL			
2	T-3	LOL	14FT TRACK RUN CONSISTING OF:	\$554.00		\$1,108.00
2	T-3	LOL	6003NWH 8'JOIN BASIC TRACK WH	(included)		-
			<b>Line Note:</b> Includes Mini Coupler			
2	T-3	LOL	6001NWH 4'IND BASIC TRACK WH	(included)		-
			<b>Line Note:</b> Includes Live End Feed Connector			
2	T-3	LOL	6000NWH 2'IND BASIC TRACK WH	(included)		-
			<b>Line Note:</b> Includes Live End Feed Connector			
2	T-3	LOL	6060WH End Feed Canopy Kit	(included)		-
2	T-3	LOL	6049NWH BASIC MINI COUPLER WH	(included)		-
14	T-3	LOL	7586 STEM MOUNTING KIT/48"L	(included)		-
			<b>Line Note:</b> 2 per 2/4' & 3 per 8' track			
2	PL-8	LOL	6099WH POWERTRIP BASIC LIVE END CANOPY WHITE	(included)		-
2	PL-8	LOL	PLD240WH POWERTRIP NEW DESIGN PLUG-IN BREAKER	(included)		-
			<b>Line Note:</b> Confirm wattage required			
8	TH-OPT1	LOL	LC10835WTE OmniSpot LED 1000lm 80CRI 35K WH ELV	\$121.00		\$968.00
			<b>Line Note:</b> Quoting 3500K, white finish			
8	TH-OPT1	LOL	LLMRNF LYTESPAN MINI REFLECTOR NARROW FLOOD	(included)		-
			<b>Line Note:</b> Quoting 24° narrow flood			
0	TH-OPT2	LOL	LLAV1130WH ALCYON LED VERTICAL CYL 3000K 1000L WH	\$164.00		-
			<b>Line Note:</b> Quoting 3000K, white finish			

Date: Jul 19, 2017

Quote: SEATAC-WWA17-39151-5

# Quote

Page 5/6



Sea-Tac Lighting & Controls, LLC  
4439 S. 134th Place Bld. E  
Tukwila WA 98168  
Phone: (206) 575-6865  
Fax:

**From: Kalyn Neils**  
**Quoter Ph: (206) 708-8088**  
**email: kneils@seataclighting.com**

**Project** Redmond TI  
**Location** Redmond WA  
**Quote** SEATAC-WWA17-39151-5

QTY	Type	MFG	Part	Price	UQ	ExtPrice
0	TH-OPT2	LOL	LLAV11RNF ALCYON LED VERTICAL 600/1000 CYL RFL NAR	(included)		-
Note	T-3/TH		<b>Line Note:</b> Quoting 24° narrow flood TRACK HEAD NOT SPECIFIED; QUOTING 2 OPTIONS FOR REFERENCE			
Note	TH		THESE OPTIONS ARE SUBJECT TO APPROVAL			
6	X	CHLO	VCRW VC Series Universal Combo Exit	\$64.00		\$384.00
			<b>Line Note:</b> SUBJECT TO APPROVAL			
<b>Total:</b>						<b>\$20,738.00</b>

**Notes:**

Per email request dated 7/17/17 only  
No plans or specs provided at time of bid  
Quoting standard finishes unless otherwise noted  
No spares or controls included  
Advise of any changes for re-quote if required

Approved submittals or signed submittal waiver required prior to ordering

**Notes:**

CONTRACTOR NET

**Terms and conditions of sale:**

AtSubject to manufacturer's published terms and conditions of sale.  
Quotation is void if changed. Complete quote must be used.  
Liquidated damages are not accepted unless negotiated in advance and appear on purchase order.

**Mfg Terms:**

	Freight Allowance	Minimum Order
DMF DMF Lighting	Minimum Order	\$50.00
FFA \$2000		
\$25 fee for orders under \$50		
No freight allowance to Alaska		
LUMI Luminis	Freight Allowed	
\$6,000 FFA (Exterior products)		
\$4,500 FFA (Interior products)		

Date: Jul 19, 2017

Quote: SEATAC-WWA17-39151-5

# Quote

Page 6/6



Sea-Tac Lighting & Controls, LLC  
4439 S. 134th Place Bld. E  
Tukwila WA 98168  
Phone: (206) 575-6865  
Fax:

**From: Kalyn Neils**  
**Quoter Ph: (206) 708-8088**  
**email: kneils@seataclighting.com**

**Project** Redmond TI  
**Location** Redmond WA  
**Quote** SEATAC-WWA17-39151-5

<b>Mfg Terms:</b>		Freight Allowance Plus Freight	Minimum Order
OXYG	Oxygen Lighting		
	Always Plus Freight:		
	Orders <\$300 30% Freight Charge		
	Orders >\$300 10% Freight Charge		
PHIL	Philips Lighting	Freight Allowed	
PINN	Pinnacle Arch. Lighting Inc.	Plus Freight	